



## Refurbished Scheppach Basato 5-2 Bandsaw

Precision Wood Cutting for Workshops & Light Industrial Use



The Scheppach Basato 5-2 is a robust, high-capacity vertical bandsaw designed for precision cutting of wood, plastics, and non-ferrous materials. Built with a rigid steel frame and engineered for accuracy, this machine is ideal for professional workshops, joinery applications, and educational environments requiring reliable performance and consistent results.

With a large throat capacity, smooth blade operation, and solid worktable support, the Basato 5-2 delivers excellent cutting control across straight, curved, and intricate profiles.


**SAWS (UK) LTD**, Ghyll Industrial Estate, Heathfield, East Sussex, TN21 8AW  
Phone 0800 521 292 Fax 01435 862 205 [sales@sawsuk.com](mailto:sales@sawsuk.com)

## FEATURES

- **Heavy duty welded steel construction** - Ensures rigidity, reduced vibration, and long service life
- **Large cutting capacity** - Suitable for both small, detailed work and larger workpieces
- **Precision ground cast iron table** - Provides stability and accurate material support
- **Tilting table (0° - 45°)** - Enables angled and bevel cuts with ease
- **Smooth running band wheels** - Balanced wheels ensure consistent blade tracking and clean cuts
- **Adjustable blade guides** - Improves cutting accuracy and prolongs blade life
- **Dual speed settings** - Allows optimisation for different materials and applications
- **Integrated dust extraction port** - Maintains a clean and safe working environment
- **Generous blade width range** – Compatible with a wide range of blade widths (6 mm – 27 mm standard for this model) for versatility in cut types

## Technical Information

<b>Blade Speed</b>	460 m/min / 775 m/min
<b>Table Dimensions</b>	640 mm x 640 mm
<b>Working Height</b>	900 mm
<b>Throat</b>	440 mm
<b>Cutting Capacity</b>	H 300 x W 440
<b>Length Stop</b>	650 mm
<b>Table Tilt</b>	Swing range - 20° to + 47°
<b>Dimension (L x W x H)</b>	1000 mm x 900 mm x 1850 mm
<b>Weight</b>	190 Kg
<b>Blade</b>	3430 mm x 6 – 27 mm
<b>Voltage</b>	230 v





## PRICE

### Scheppach Basato 5-2 Bandsaw

£CALL FOR PRICE

**We offer full Health and Safety training with certification to ensure correct usage and HSE Compliance. This is recommended with purchase of this saw.**

**Pay Later for trade customers** Powered by iwoca  Pay

Spread the cost over 3 monthly payments. Available via pay link

### Blades

Scheppach Basato 5-2 Vari Pitch BM42 Alligator Blade £39.57

*On all blade orders we offer free UK carriage over £150, 10% off on 6+ blades, 15% off on 10+ blades & 20% off 20+ blades.*

### Sawing Fluid

EP5000 Alligator Sawing Fluid 25L £145.00  
EP5000 Alligator Sawing Fluid 5L £42.50

### HSE Consumables

Due to the current HSE regulations we offer the below consumables to ensure compliance:

Dipslide Incubator £190.00  
Metal Cutting Fluid Dipslides (Box of 10) £17.50

- ALL PRICES SHOWN ARE EXCLUSIVE OF VAT
- 3 MONTH WARRANTY
- DELIVERY IS CHARGED AT COST
- FULL PAYMENT IS REQUIRED WITH ORDER
- UNLOADING AND ELECTRICAL CONNECTION IS THE CUSTOMER'S RESPONSIBILITY
- QUOTATION VALID FOR 30 DAYS, E&OE

**FINANCE IS AVAILABLE ON REQUEST**

**SAWS (UK) LTD**, Ghyll Industrial Estate, Heathfield, East Sussex, TN21 8AW  
Phone 0800 521 292 Fax 01435 862 205 [sales@sawsuk.com](mailto:sales@sawsuk.com)